

Classification	Cookie Name	Provider	Type	Expiry	Purpose
Necessary	__stripe_mid	Stripe	HTTP	1y	This cookie is necessary for making credit card transactions on the website. The service is provided by Stripe.com which allows online transactions without storing any credit card information.
	__stripe_sid	Stripe	HTTP	1d	This cookie is necessary for making credit card transactions on the website. The service is provided by Stripe.com which allows online transactions without storing any credit card information.
	m	Stripe	HTTP	2y	Determines the device used to access the website. This allows the website to be formatted accordingly.
	__cf_bm	imeo	HTTP	1d	This cookie is used to distinguish between humans and bots. This is beneficial for the website, in order to make valid reports on the use of their website.
	bugsnag-anonymous-id	Bugsnag	HTML	Persistent	This cookie is used to detect errors on the website - this information is sent to the website's support staff in order to optimize the visitor's experience on the website.
	CONSENT	Google	HTTP	2y	Used to detect if the visitor has accepted the marketing category in the cookie banner. This cookie is necessary for GDPR-compliance of the website.
	CONSENT	YouTube	HTTP	2y	Used to detect if the visitor has accepted the marketing category in the cookie banner. This cookie is necessary for GDPR-compliance of the website.
	li_gc	LinkedIn	HTTP	2y	Stores the user's cookie consent state for the current domain
	test_cookie	doubleclick.net	HTTP	1d	Used to check if the user's browser supports cookies.
	SIDCC	Google	HTTP	1y	Security cookie to confirm visitor authenticity, prevent fraudulent use of login data and protect visitor data from unauthorized access.
Preferences	HSID	Google	HTTP	2y	Security cookie to confirm visitor authenticity, prevent fraudulent use of login data and protect user data from unauthorized access.
	lang	LinkedIn	HTTP	Session	Remembers the user's selected language version of a website
Statistics	yt-player-bandwidth	YouTube	HTML	Persistent	Used to determine the optimal video quality based on the visitor's device and network settings.
	__ga	Google	HTTP	2y	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.
	__gat	Google	HTTP	1d	Used by Google Analytics to throttle request rate
	__gid	Google	HTTP	1d	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.
	__hjsessionid	Hotjar	HTTP	1d	This cookie is used to count how many times a website has been visited by different visitors - this is done by assigning the visitor an ID, so the visitor does not get registered twice.
	__hjsessionid	Hotjar	HTTP	1d	This cookie is used to determine if the visitor has visited the website before, or if it is a new visitor on the website.
	__hjsessionid	Hotjar	HTTP	1d	Used to detect whether the user navigation and interactions are included in the website's data analytics.
	__hjsessionid	Hotjar	HTTP	1d	Registers data on visitors' website-behaviour. This is used for internal analysis and website optimization.
	__hjsessionid	Hotjar	HTTP	Session	Sets a unique ID for the session. This allows the website to obtain data on visitor behaviour for statistical purposes.
	__hjsessionid	Hotjar	HTTP	1d	Collects statistics on the visitor's visits to the website, such as the number of visits, average time spent on the website and what pages have been read.
	__hjsessionid	Hotjar	HTTP	1d	Collects statistics on the visitor's visits to the website, such as the number of visits, average time spent on the website and what pages have been read.
	__RCRTX03-samesite	Recruitics	HTTP	10y	Used to help track the success of job postings.
	__RCRTX03-samesite	Recruitics	HTTP	10y	Used to help track the success of job postings.
	collect	Google	Pixel	Session	Used to send data to Google Analytics about the visitor's device and behavior. Tracks the visitor across devices and marketing channels.
	hViewportid	Hotjar	HTML	Session	Sets a unique ID for the session. This allows the website to obtain data on visitor behaviour for statistical purposes.
	rx_duplicates_%	Recruitics	HTML	Session	Unclassified
	void	imeo	HTTP	2y	Collects data on the user's visits to the website, such as which pages have been read.
	yt-player-headers-readable	YouTube	HTML	Persistent	Used to determine the optimal video quality based on the visitor's device and network settings.
	__fbp	Facebook	HTTP	3m	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers
	__gcl_au	Google	HTTP	3m	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services.
	__hjsessionid	Hotjar	HTML	Session	This cookie is used to identify the visitor and optimize ad-relevance by collecting visitor data from multiple websites - this exchange of visitor data is normally provided by a third-party data-center or ad-exchange.
	__uetsid	Bing	HTTP	1d	Collects data on visitor behaviour from multiple websites, in order to present more relevant advertisement - This also allows the website to limit the number of times that they are shown the same advertisement.
	__uetsid	Bing	HTML	Persistent	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.
	__uetsid_exp	Bing	HTML	Persistent	Contains the expiry-date for the cookie with corresponding name.
	__uetvid	Bing	HTTP	1y	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.
	__uetvid	Bing	HTML	Persistent	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.
	__uetvid_exp	Bing	HTML	Persistent	Contains the expiry-date for the cookie with corresponding name.
	ads/ga-audiences	Google	Pixel	Session	Used by Google AdWords to re-engage visitors that are likely to convert to customers based on the visitor's online behaviour across websites.
	bcookie	LinkedIn	HTTP	2y	Used by the social networking service, LinkedIn, for tracking the use of embedded services.
	fr	Facebook	HTTP	3m	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers.
	IDE	doubleclick.net	HTTP	1y	Used by Google DoubleClick to register and report the website user's actions after viewing or clicking on e of the advertiser's ads with the purpose of measuring the efficacy of an ad and to present targeted ads to the user.
	lidc	LinkedIn	HTTP	1d	Used by the social networking service, LinkedIn, for tracking the use of embedded services.
	MUID	Microsoft	HTTP	1y	Used widely by Microsoft as a unique user ID. The cookie enables user tracking by synchronising the ID across many Microsoft domains.
	pagead/lp-conversion/#	Google	Pixel	Session	Collects data on visitor behaviour from multiple websites, in order to present more relevant advertisement - This also allows the website to limit the number of times that they are shown the same advertisement.
	pagead/lp-user-list/#	Google	Pixel	Session	Tracks if the user has shown interest in specific products or events across multiple websites and detects how the user navigates between sites. This is used for measurement of advertisement efforts and facilitates payment of referral-fees between websites.
	pagead/viewthroughconversion/649514007	doubleclick.net	Pixel	Session	Unclassified
	tr	Facebook	Pixel	Session	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers.
	VISITOR_INFO_LIVE	YouTube	HTTP	179 d	Tries to estimate the users' bandwidth on pages with integrated YouTube videos.
	YSC	YouTube	HTTP	Session	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.
	ytidb:LAST_RESULT_ENTRY_KEY	YouTube	HTML	Persistent	Stores the user's video player preferences using embedded YouTube video
yt.innertube:nextid	YouTube	HTML	Persistent	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	
yt.innertube:requests	YouTube	HTML	Persistent	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	
yt-player-bandaid-host	YouTube	HTML	Persistent	Used to determine the optimal video quality based on the visitor's device and network settings.	
yt-remote-cast-available	YouTube	HTML	Session	Stores the user's video player preferences using embedded YouTube video	
yt-remote-cast-installed	YouTube	HTML	Session	Stores the user's video player preferences using embedded YouTube video	
yt-remote-connected-devices	YouTube	HTML	Persistent	Stores the user's video player preferences using embedded YouTube video	
yt-remote-device-id	YouTube	HTML	Persistent	Stores the user's video player preferences using embedded YouTube video	
yt-remote-fast-check-period	YouTube	HTML	Session	Stores the user's video player preferences using embedded YouTube video	
yt-remote-session-app	YouTube	HTML	Session	Stores the user's video player preferences using embedded YouTube video	
yt-remote-session-name	YouTube	HTML	Session	Stores the user's video player preferences using embedded YouTube video	
__Secure-IPASID	Google	HTTP	2y	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising	
__Secure-IPSID	Google	HTTP	2y	Builds a profile of website visitor interests to show relevant and personalized ads through retargeting	
__Secure-3PASID	Google	HTTP	2y	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising	
__Secure-3PSID	Google	HTTP	2y	Builds a profile of website visitor interests to show relevant and personalized ads through retargeting	
__Secure-3PSIDCC	Google	HTTP	2y	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising	
__Secure-IPSIDCC	Google	HTTP	2y	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising	
APISID	Google	HTTP	2y	Personalises Google ads on websites based on recent searches and interactions	
SSID	Google	HTTP	Persistent	Google collects visitor information for videos hosted by YouTube on maps integrated with Google Maps	

	SID	Google	HTTP	2 y	To provide ad delivery or retargeting, provide fraud prevention
	NID	Google	HTTP	6 m	To provide ad delivery or retargeting, store user preferences
	DV	Google	HTTP	1 d	To provide ad delivery or retargeting
Unclassified	_RCRTX03	Recrutics	HTTP	10 y	Unclassified
	_RCRTX03	Recrutics	HTTP	10 y	Unclassified
	rx_jobid_%	Recrutics	HTTP	10 y	Unclassified
	viewer_id_v3	Recrutics	HTML	Persistent	Unclassified
	SRCHHPGUSR	Bing	HTTP	2 y	Unclassified
	SRCHUSR	Bing	HTTP	2 y	Unclassified
	SRCHUID	Bing	HTTP	2 y	Unclassified
	_SS	Bing	HTTP	Session	Unclassified
	SRCHD	Bing	HTTP	2 y	Unclassified
	SSID	Google	HTTP	2 y	Unclassified
	VID	Google	HTTP	Session	Unclassified
	SAPISID	Google	HTTP	2 y	Unclassified
	OGPC	Google	HTTP	Session	Unclassified